



ARDON®
WORKWEAR
& OUTDOOR

RANDY

HANDLING IN DRY ENVIRONMENT WITH HIGH MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

RANDY

HANDLING IN DRY ENVIRONMENT WITH HIGH MECHANICAL PROTECTION

CODE

A10063

MATERIAL

Lining 7G polyester + cotton (white)
Coating latex (orange)
Thickness 2,80 mm (in palm)

SIZE(S):

10 / XL

UNIT

pair

PACKING

Units in carton 120 pairs
Units in polybag 12 pairs
Retail packing N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	56x52x26	-	-
-	-	-	-	-	0,0757	-	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	17,00	-	-
-	-	-	-	-	120,0	-	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	25,5	-	-
-	-	-	-	-	6,00	-	-
-	-	-	-	-	9,00	-	-
-	-	-	-	-	11,5	-	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Polyester knit dipped in in a thick layer of latex.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL	score	unit
3	2.000 – 8.000	cycles
2	2,5 – 5,0	index
4	> 75	N
2	60 - 100	N
X	not measured	N

TECHNICAL DATA



ARDON®
WORKWEAR
& **OUTDOOR**

Basic packaging (without sales label)

A10063

EAN

8592390010940

TECHNICAL DATA