



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## RICH

HANDLING IN WET ENVIRONMENT WITH MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



**ARDON**  
**WORKWEAR**  
& OUTDOOR

# RICH

HANDLING IN WET ENVIRONMENT WITH MECHANICAL PROTECTION

## CODE

A4007

## MATERIAL

Lining cotton  
Coating PVC (red)  
Thickness 0,9 mm (in palm)

## SIZE(S):

10 / XL

## UNIT

pair

## PACKING

Units in carton 120 pairs  
Units in polybag 12 pairs  
Retail packaging N/A

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	60x26x26	-	-
-	-	-	-	-	0,0406	-	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	13,20	-	-
-	-	-	-	-	110,0	-	-



## Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	25,5	-	-
-	-	-	-	-	7,50	-	-
-	-	-	-	-	7,00	-	-
-	-	-	-	-	12,5	-	-

Tolerance (A)  $\pm 0,50$  (cm)  
Tolerance (B)  $\pm 0,50$  (cm)

Tolerance (C)  $\pm 0,50$  (cm)  
Tolerance (D)  $\pm 0,50$  (cm)

## DESCRIPTION

Cotton knit dipped in polyvinyl chloride.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

3  
1  
2  
1  
X

#### score

2.000 – 8.000  
1,2 – 2,5  
25 – 50  
20 – 60  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- 3/4 dipped gloves
- elastic cuff knit

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**  
A4007

**EAN**

8592390045898

