



ARDON®
WORKWEAR
& OUTDOOR

MECHANIK

HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

MECHANIK

HANDLING IN DRY ENVIRONMENT

CODE

A1020

MATERIAL

Palm goatskin leather (grey)
 Back cotton
 Cuff cotton
 Thickness 0,7 – 1,0 mm (in palm)

SIZE(S)

7 / S – 11 / 2XL

UNIT

pair

PACKING


Units in carton 120 pairs
 Units in polybag 12 pairs
 Retail packaging size 10 / XL and 11 / 2XL also with sales label

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	55x28x24	55x28x24	58x28x27	58x28x27	58x28x27	-
Carton (cbm)	-	-	0,0370	0,0370	0,0438	0,0438	0,0438	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	8,60	9,00	10,2	10,4	10,6	-
Unit (g)	-	-	64,6	67,9	77,5	79,2	80,4	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	25,0	26,0	27,0	28,0	29,0	-
Cuff length (B)	-	-	8,50	9,00	9,50	10,0	10,5	-
Cuff width (C)	-	-	10,0	10,5	11,0	11,5	12,0	-
Palm width (D)	-	-	10,5	11,0	11,5	12,0	12,5	-

Tolerance (A) ± 0,20 (cm)

Tolerance (B) ± 0,10 (cm)

Tolerance (C) ± 0,20 (cm)

Tolerance (D) ± 0,20 (cm)

DESCRIPTION

Combined gloves made of goatskin leather with cotton back.



ARDON®
WORKWEAR
& **OUTDOOR**

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

2
X
2
1
X

score

500 – 2.000
not measured
25 - 50
20 – 60
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- size 10 / XL and 11 / 2XL also available in a version with sales label

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A1020/07
A1020/08
A1020/09
A1020/10
A1020/11

Retail packaging (with sales label)

A1020/10/SPE
A1020/11-SPE

EAN

8592390013415
8592390013422
8592390012005
8592390000491
8592390041838

8592390081506
8592390369079