



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® GREEN TOUCH

MULTIFUNCTIONAL HANDLING IN DRY AND WET ENVIRONMENTS WITH THE POSSIBILITY OF HEAT PROTECTION



EN 388: 2016



EN 407: 2004

TECHNICAL DATA

**ARDON®****WORKWEAR
& OUTDOOR**

ARDON® GREEN TOUCH

MULTIFUNCTIONAL HANDLING IN DRY AND WET ENVIRONMENTS WITH THE POSSIBILITY
OF HEAT PROTECTION

CODE**A8017****MATERIAL**

Lining

13G polyester

Coating

latex with non-slip finish (grid)

Thickness

1,8 mm (in palm)

SIZE(S):

7 / S (purple)

8 / M – 11 / 2XL (green-blue)

UNIT

pair

PACKING

Units in carton

120 pairs

Units in polybag

12 pairs

Retail packaging

sales label, size 9 / L and 10 / XL also without label

DIMENSIONS

Carton H x W x D (cm)

5**6****7****8****9****10****11****12**

Carton (cbm)

-

-

54x24x29

54x26x29

54x26x29

54x27x29

54x27x30

-

-

0,0376

0,0407

0,0407

0,0423

0,0437

-

WEIGHT

Carton (kg)

5**6****7****8****9****10****11****12**

Unit (g)

-

-

10,0

10,6

11,3

12,1

12,6

-

-

71,0


76,0

82,0

88,0

93,0

-

**Size chart (cm)**

Total length (A)

5**6****7****8****9****10****11****12**

Cuff length (B)

-

-

24,0

25,0

26,0

27,0

28,0

-

Cuff width (C)

-

-

8,60

9,00

9,80

10,2

10,6

-

Palm width (D)

-

-

8,10

8,30

8,50

8,70

9,00

-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

DESCRIPTION

Comfortable knit with ecological latex dipping, waterproof and with a very secure grip.



ARDON®
WORKWEAR
& OUTDOOR


STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
1
4
1
X

score

2.000 – 8.000
1,2 – 2,5
> 75
20 – 60
not measured

unit

cycles
index
N
N
N

EN 407:2004

Protective gloves against heat or flame

EN 407



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
resistance to contact heat
resistance to convectional heat
resistance to radiant heat
resistance to small drops of molten metals
resistance to large drops of molten metals

LVL

X
2
X
X
X
X

score

not measured
250°C for 15s
not measured
not measured
not measured
not measured

SPECIAL FEATURES

- ecological method of latex coating (without the use of acids)
- OEKO-TEX certification – health and dermatologically harmless, suitable for allergy sufferers
- extremely secure grip thanks to the latex grid (ideal for slippery surfaces, glass, etc.)
- protection against heat up to 150 ° C (according to certification up to 250 ° C for 15 seconds, but we generally do not recommend exposure to temperatures higher than 150 ° C, during which latex secondary vulcanizes and heats up)
- women's size (7 / S) in purple color
- ARDON® design:
 - mandatory information on inner label
- each pairs in each size is retail ready packed, size 09 / L and 10 / XL also without label



ARDON®
WORKWEAR
& OUTDOOR

Retail packaging (with sales label)

A8017/07-SPE

A8017/08-SPE

A8017/09-SPE

A8017/10-SPE

A8017/11-SPE

Basic packaging (without sales label)

A8017/09

A8017/10

EAN

8592390035028

8592390035523

8592390035530

8592390035554

8592390035561

8592390378514

8592390378521

HEM COLOR

red

yellow

brown

black

green

green

green





ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

