



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FIRLOW O1

WORKING SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET

ARDON® FIRLOW 01

WORKING SHOES

ARTICLE

G1182

MATERIAL

Upper cowhide leather with SPLIT LEATHER design
Lining MESH laminated breathable fabric
Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
Toe cap -
Plate -
Insole BASIC

SIZE

36-48

UNIT

pair

PACKAGE

Units in a carton 10 pairs
Units in a box 1 pair

DIMENSIONS

	36-42	43-46	47-48
Carton H x W x D (cm)	59,5 x 32,5 x 37,5	62 x 34,5 x 39,5	62 x 36 x 41,5
Carton (cbm)	0,0725	0,0845	0,0926

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-

DESCRIPTION














Low shoe with two-component polyurethane soles.

NORMS

(EU) 2016/425

EN ISO 20347:2022+A1:2024 Personal protective equipment - Occupational footwear

Category O1 FO SR

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA – water penetration and absorption		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
The shoes do not contain metal parts		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
-		
-		
-		



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1182/36	8592390032553	10.75	1.075
G1182/37	8592390032560	10.79	1.079
G1182/38	8592390032577	10.82	1.082
G1182/39	8592390032584	10.87	1.087
G1182/40	8592390032591	10.92	1.092
G1182/41	8592390032607	10.97	1.097
G1182/42	8592390032614	11.01	1.101
G1182/43	8592390032621	11.13	1.113
G1182/44	8592390032638	11.19	1.119
G1182/45	8592390032645	11.23	1.123
G1182/46	8592390032652	11.29	1.129
G1182/47	8592390032669	11.35	1.135
G1182/48	8592390032676	11.41	1.141



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& **OUTDOOR**

