



ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4MIG RED

WELDING PROTECTION (4MIG GOLD, 4MIG GOLD RFC)



EN 388: 2016



EN 407: 2004

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4MIG RED

WELDING PROTECTION (4MIG GOLD, 4MIG GOLD RFC)

CODE A2112

MATERIAL

Palm
Back
Thickness
cowhide split leather (red)
cowhide split leather (red)
2,5 mm ± 0,1 mm (in palm)

SIZE(S) 10 / XL

UNIT pair

PACKING


Units in carton 60 pairs
Units in polybag 12 pairs
Retail packaging also with sales label (/SPE)

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	-	-	72x36x24	-	-
Carton (cbm)	-	-	-	-	-	0,0622	-	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	-	-	22,00	-	-
Unit (g)	-	-	-	-	-	350,0	-	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	-	-	36,0	-	-
Cuff length (B)	-	-	-	-	-	14,0	-	-
Cuff width (C)	-	-	-	-	-	18,0	-	-
Palm width (D)	-	-	-	-	-	14,0	-	-

Tolerance (A) ± 0,30 (cm)

Tolerance (B) ± 0,30 (cm)

Tolerance (C) ± 0,30 (cm)

Tolerance (D) ± 0,30 (cm)

DESCRIPTION

Full leather gloves made of cowhide split leather.

TECHNICAL DATA



ARDON®
WORKWEAR
& **OUTDOOR**

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
1
4
4
X

score

2.000 – 8.000
1,2 – 2,5
> 75
> 150
not measured

unit

cykles
index
N
N
N

EN 407:2004

Protective gloves against heat or flame

EN 407



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
resistance to contact heat
resistance to convective heat
resistance to radiant heat
resistance to small drops of molten metals
resistance to large drops of molten metals

LVL

4
1
3
X
4
X

score

100°C for 15s
not measured
not measured

EN 12477:2005

Protective gloves for welders

TYP A

SPECIAL FEATURES

- robust full leather gloves, they can handle mechanically demanding procedures MIG, MAG
- heat protection up to 100 °C
- available also in retail packaging ('retail ready')
- available also only left (sales unit = pair)

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A2112/10

A2112/10-L

Retail packaging (with sales label)

A2112/10-SPE

EAN

8592390153784

8592390076557

8592390018281