



ARDON®
WORKWEAR
& **OUTDOOR**

XC7e WHITE

COMFORTABLE HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

XC7e WHITE

COMFORTABLE HANDLING IN DRY ENVIRONMENT

CODE

A9888

MATERIAL

Lining 13G polyester (white)
Coating polyurethane (white)
Thickness 1,0 mm (in palm)

SIZE(S):

6 / XS – 11 / 2XL

UNIT

pair

PACKING

Units in carton 240 pairs
Units in polybag 12 pairs
Retail packaging N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	48x26x44	48x26x44	48x26x44	48x26x46	48x26x46	48x26x46	-
-	0,0549	0,0549	0,0549	0,0574	0,0574	0,0574	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	5,20	5,40	5,50	6,20	6,50	6,80	-
-	16,0	18,0	20,0	22,0	24,0	26,0	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	21,0	22,0	23,0	24,0	25,0	26,0	-
-	6,50	6,50	7,00	7,30	7,50	7,50	-
-	6,20	6,20	6,20	6,70	6,70	6,70	-
-	6,80	7,00	8,00	8,50	9,00	9,20	-

Tolerance (A) $\pm 0,50$ (cm)
Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)
Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Fine polyester knit dipped in polyurethane.

TECHNICAL DATA


STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL	score	unit
3	2.000 – 8.000	cycles
1	1,2 – 2,5	index
3	50 – 75	N
1	20 – 60	N
X	not measured	N



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A9888/06
A9888/07
A9888/08
A9888/09
A9888/10
A9888/11

EAN

8592390069429
8592390069436
8592390069443
8592390069450
8592390069467
8592390069474

HEM COLOR

white
red
yellow
brown
black
green

