CHNICAL DATA SHE

ARDON®NAVI FUNCTIONAL UNDERGARMENT















BREATHABLE



DRY AIR



STANDARD 100 PG020 200752 OETI

ARDON®NAVI

FUNCTIONAL UNDERGARMENT



ARTICLE

H10042 (t-shirt, long sleeve)

H10043 (underpants)

MATERIAL

50 % merino, 50 % polyester

GRAMMAGE

200 g/m²

SIZE

S-2XL



DESCRIPTION

ECHWICAL DATA SHEE

Quality functional shirt with long sleeves, long pants with elastic waist, fine natural material, contrasting blue seams.

Made from 100% quality merino wool. Merino is purely natural breathable fibre which is pleasant to the skin and naturally aesthetic. Merino optimally drains humidity, regulates body temperature and prevents odour.

This product is not a PPE (personal protective equipment), therefore it is not subject to certification and cannot be CE marked.

The NAVI collection meets the requirements for health safety and holds the **OEKO-TEX® Standard 100 certification, certificate number PG020 200752 OETI.**



NUMBER OF PIECES IN CARTON 20 pcs
CARTON WEIGHT 6,036 kg
CARTON SIZE 0,0 m³
UNIT PACKAGING 1 pc

The service life depends on the rate of use and the rate of wear in the given conditions. Inapropriate storage conditions, improper maintenance and care reduce the service life. The warranty period is 24 months. Under no circumstances should the warranty period be confused with the service lefe of the product. With Intensive use, the service life may be shorter than the warranty provided. The product does not contain any substances in concentrations that are known or suspected to have an adverse effect on the user's hygiene of health. However, skin irritation is not impossible for sensitive people, in which case do not continue to use the garment. Avoid the fire and sources of intense heat. No accessories or replacement pants are intended for these garments. If the garment is not in use, it is recommended to store it in a dry and well-ventilated area away from direct Sunlight. Transport best in original packaging, protect from moisture and extreme temperatures. Dispose ecologically after use.





