ARDON®
WORKWEAR
& OUTDOOR

ARDON®PRIME HIGHTREK S1P

SAFETY SHOES

TECHNICAL SHEET





DRY AIR

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®PRIME HIGHTREK S1P

SAFETY SHOES



ARTICLE **G1304**

MATERIAL

Upper	brushed cowhide VELUR
Lining	MESH laminated breathable fabric
Sole	PU/PU, two-component spray coating, oil resistant, anti-static, antislip
Toe cap	steel
Plate	steel
Insole	BASIC

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton	10 pairs
Units in a box	1 pair

DIMENSIONS	36-43	44-48
Carton H x W x D (cm)	61,5 x 33,5 x45,5	66,5 x 35,5 x 47,5
Carton (cbm)	0,0937	0,1121

Size EUR	**35**	**36**	**37**	**38**	**39**	**40**	**41**	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**	**51**
Insole length mm	-	239	246	252	259	266	272	279	286	292	299	306	312	319	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-

DESCRIPTION

Safety ankle boots with trekking design with suede upper. The shoes are equipped with a steel toe cap and an anti-puncture steel insole. The sole is made of two-component polyurethane.

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

NORMS

(EU) 2016/425
EN ISO 20345:2022+A1:2024 Personal protective equipment – Safety footwear

Category S1P FO SR



Categories	**EN ISO 20345**
E - energy absorption in the heel area	✓
FO - resistance to oils and fuels	✓
A - antistatic footwear	✓
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓
WPA - upper resistant to water	
Safety toe cap for toe protection	✓
P - resistance to punctures (protective insole)	✓
The shoes do not contain metal parts	
HRO - resistance to contact heatup to 300 °C	
HI-insulation of the bottom of the shoe against heat	
CI-insulation of the bottom of the shoe against the cold	
Splatters of molten metal	
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	
-	
-	
-	

TECHNICAL SHEET

© ARDON.s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1304/36	8592390082619	13.11	1.311
G1304/37	8592390082626	13.14	1.314
G1304/38	8592390082633	13.18	1.318
G1304/39	8592390082640	13.21	1.321
G1304/40	8592390082657	13.26	1.326
G1304/41	8592390082664	13.31	1.331
G1304/42	8592390082671	13.41	1.341
G1304/43	8592390082688	13.43	1.343
G1304/44	8592390082695	13.46	1.346
G1304/45	8592390082701	13.49	1.349
G1304/46	8592390082718	13.51	1.351
G1304/47	8592390082725	13.54	1.354
G1304/48	8592390082732	13.59	1.359



© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON®
WORKWEAR
& OUTDOOR



© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®
WORKWEAR
& OUTDOOR







© ARDON s.r.o. / ALL RIGHTS RESERVED