



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® BRICKLOW S3

SAFETY SHOES



**DEFUSE
CONTROL**



DRY AIR



**WATER
REPELLENT**



REFLECTIVE

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® BRICKLOW S3

SAFETY SHOES

ARTICLE

G3395

MATERIAL

Upper Durable fabric / leather
Lining MESH-type laminated breathable fabric
Sole EVA/rubber, bonded technology
Toe cap 604 composite
Plate Kevlar
Insole ANATOMIC FOAM – anatomically shaped from EVA foam

SIZE

38-48

UNIT

pair

PACKAGE

Units in a carton 10 pairs
Units in a box 1 pair

DIMENSIONS

	38-39	40-43	44-48
Carton H x W x D (cm)	31.5 x 41.5 x 61.5	33.5 x 43.5 x 61.5	37 x 43.5 x 64
Carton (cbm)	0,0804	0,0896	0,103

Size EUR

Insole length mm

Foot length cm

35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
-	-	-	250	257	264	270	277	284	290	297	304	310	317	-	-	-
-	-	-	24,5	25,2	25,9	26,5	27,2	27,9	28,5	29,2	29,9	30,5	31,2	-	-	-

DESCRIPTION

Safety boot with an upper made of durable fabric and leather in the toe and heel area, with hydrophobic treatment, with a composite toe cap and Kevlar insole.

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20345:2011

Personal protective equipment - Safety footwear

Category:

S3 HRO SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C	✓	
insulation of the bottom of the shoe against heat		
insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3395/38	8592390162731	12.35	1.235
G3395/39	8592390162748	12.90	1.290
G3395/40	8592390162755	13.10	1.310
G3395/41	8592390162762	13.30	1.330
G3395/42	8592390162779	13.50	1.350
G3395/43	8592390162786	13.90	1.390
G3395/44	8592390162793	14.85	1.485
G3395/45	8592390162809	15.20	1.520
G3395/46	8592390162816	15.40	1.540
G3395/47	8592390162823	15.90	1.590
G3395/48	8592390162830	16.40	1.640

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

