



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARNOLD

ROUGH HANDLING IN DRY ENVIROMENT



EN 388: 2016



EN 407:2020

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARNOLD

ROUGH HANDLING IN DRY ENVIROMENT

## CODE

A10060 -> A1097 (revision 2023)

## MATERIAL

Palm  
Back  
Cuff  
Lining  
Thickness

cowhide split leather  
cowhide split leather  
tightened, elastic  
none  
1,1 – 1,2 mm (in palm)

## SIZE(S)

7 / S; 10 / XL; 11 / 2XL (revision 2023)

## UNIT

pair

## PACKING

Units in carton  
Units in polybag  
Retail packaging

120 -> 72 pairs (revision 2023)  
12 pairs  
size 10 / XL also with sales label

## DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	36x23x23	-	-	41x25x25	43x28x28	-
-	-	0,0186	-	-	0,0262	0,0337	-

## WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	-	7,600	-	-	9,280	11,38	-
-	-	105,0	-	-	129,0	158,0	-



## Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	22,5	-	-	25,5	26,5	-
Cuff length (B)	-	-	5,00	-	-	6,00	6,00	-
Cuff width (C)	-	-	10,5	-	-	12,5	13,0	-
Palm width (D)	-	-	10,5	-	-	12,5	13,0	-

Tolerance (A) ± 0,5 (cm)  
Tolerance (B) ± 0,5 (cm)

Tolerance (C) ± 0,5 (cm)  
Tolerance (D) ± 0,5 (cm)

## DESCRIPTION

Grey cowhide split leather with tightened cuff.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

2  
1  
2  
2  
X

#### score

500 – 2.000  
1,2 – 2,5  
25 – 50  
60 – 100  
not measured

#### unit

cycles  
index  
N  
N  
N

**EN 407:2020**

Protective gloves against heat or flame

EN 407



### PROTECTION LEVELS

#### THERMAL RISKS

resistance to burning  
resistance to contact heat  
resistance to convectional heat  
resistance to radiant heat  
resistance to small drops of molten metals  
resistance to large drops of molten metals

#### LVL

X  
1  
X  
X  
X  
X

#### score

not measured  
100°C for 15s  
not measured  
not measured  
not measured  
not measured

### SPECIAL FEATURES

- fine, soft and pliable leather
- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with high mechanical abrasion resistance
- they are easy to dress and firmly fixed to the hands thank to the tightened cuff
- size 10 / XL is available in retail packaging ('retail ready')
- in 2023, the size range was expanded by 7 / S and 11 / 2XL
- as part of the ARDON commitment to reduce packaging materials in 2023 size 10 / XL available even in a version without labels, so industrial customers can reduce paper consumption



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A1097/07-BPE

A1097/10-BPE

A1097/11-BPE

**Retail packaging (with sales label)**

A10060 -> A1097/10-SPE

**EAN**

8592390171023

8592390173041

8592390174963

8592390039293

**HEM COLOUR**

brown

red

black

red