



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

## B-FNS

ROUGH HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## B-FNS

ROUGH HANDLING IN DRY ENVIRONMENT

### CODE

**A1094**

### MATERIAL

Palm buffalo grain leather (white)  
Back buffalo split leather (grey)  
Cuff elastic  
Lining none  
Thickness 0,7 – 0,9 mm (in palm)

### SIZE(S)

9 / L - 11 / 2XL

### UNIT

pair

### PACKING

Units in carton 120 pairs  
Units in polybag 12 pairs  
Retail packaging size 10 / XL and 11 / 2XL also with sales label

### DIMENSIONS


Carton H x W x D (cm)  
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	58x24x24	61x25x25	64x27x27	-
-	-	-	-	0,034	0,040	0,046	-

### WEIGHT

Carton (kg)  
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	13,78	14,38	15,65	-
-	-	-	-	0,107	0,112	0,122	-



### Size chart (cm)

Total length (A)  
Cuff length (B)  
Cuff width (C)  
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	24,5	25,5	26,5	-
-	-	-	-	5,50	6,00	6,00	-
-	-	-	-	12,0	12,5	13,0	-
-	-	-	-	12,0	12,5	13,0	-

Tolerance (A) ± 0,50 (cm)  
Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)  
Tolerance (D) ± 0,50 (cm)

### DESCRIPTION

Full leather gloves, combination of buffalo grain and buffalo split leather.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

LVL	score	unit
2	500 – 2.000	cycles
1	1,2 – 2,5	index
2	25 – 50	N
1	20 – 60	N
X	not measured	N

### SPECIAL FEATURES

- every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- size 10 / XL and 11 / 2XL available also as retail ready packed



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

**Basic packaging (without sales label)**

A1094/09

A1094/10

A1094/11

**Retail packaging (with sales label)**

A1094/10-SPE

A1094/11-SPE

**EAN**

8592390170965

8592390170972

8592390170989

8592390171009

8592390171016

**HEM COLOUR**

orange

black

red

black

red

