



ARDON®
WORKWEAR
& OUTDOOR

ARDON® PROOF CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION



EN 388: 2016



EN 16350

TECHNICAL DATA



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® PROOF CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION

CODE

A5021

MATERIAL

Lining

78 % HPPE (High Performance Polyethylene) + 13 % nylon +
7,5 % carbon fiber + 1,5 % elastane

Thickness

1,0 ± 0,2 mm (in palm)

SIZE(S):

6 / XS – 9 / L

UNIT

pair

PACKING

Units in carton

120 pairs

Units in polybag

12 pairs

Retail packaging

N/A

DIMENSIONS

Carton H x W x D (cm)

5	6	7	8	9	10	11	12
-	48x24x20	48x24x20	48x24x20	48x24x20	-	-	-
-	0,023	0,023	0,023	0,023	-	-	-


Carton (cbm)

WEIGHT

Carton (kg)

5	6	7	8	9	10	11	12
-	2,90	3,00	3,11	3,30	-	-	-
-	15,6	16,3	17,0	19,7	-	-	-

Unit (g)



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	21,0	22,0	23,0	24,0	-	-	-
Cuff length (B)	-	6,00	6,20	6,50	6,80	-	-	-
Cuff width (C)	-	8,20	8,50	8,80	9,00	-	-	-
Palm width (D)	-	9,00	9,30	9,50	10,0	-	-	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

DESCRIPTION

Highly durable ESD cut-resistant knit without dipping.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
4
4
X
C

score

2.000 – 8.000
10 - 20
> 75
not measured
10 - 15

unit

cycles
index
N
N
N

EN 16350:2014

Protective gloves - general requirements and test methods
for antistatic properties



SPECIAL FEATURES

- ESD cut resistant gloves
- durable knit (4C cut resistance)
- ARDON® design:
 - mandatory information on inner label
 - reflective manufacturer's logo
- do not leave fingerprints
- compatible with touch screens
- also available with polyurethane fingertips dipping = LEO CUT 4C
- also available with polyurethane palm dipping = BUCK CUT 4C

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A5021/06
 A5021/07
 A5021/08
 A5021/09

EAN

8592390180971
 8592390180988
 8592390180995
 8592390181008

HEM COLOR

violet
 yellow
 green
 orange

