



ARDON®
WORKWEAR
& OUTDOOR

ARDON® LEO CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION



EN 388: 2016



EN 16350

TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON® LEO CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION
AND STATIC PROTECTION

CODE

A5022

MATERIAL

Lining

78 % HPPE (High Performance Polyethylene) + 13 % nylon +
7,5 % carbon fiber + 1,5 % elastane
polyurethane (grey), fingertips
1,0 ± 0,2 mm (in palm)

Coating
Thickness

SIZE(S):

6 / XS – 9 / L

UNIT

pair

PACKING

Units in carton
Units in polybag
To the vending

120 pairs
12 pairs
1 pair (/V1, "sock")

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	38x28x21	38x28x21	38x28x21	38x28x21	-	-	-
-	0,0223	0,0223	0,0223	0,0223	-	-	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	4,80	4,90	5,10	5,50	-	-	-
-	32,0	33,0	34,0	37,5	-	-	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	21,0	22,0	23,0	24,0	-	-	-
-	6,70	6,90	7,20	7,60	-	-	-
-	8,10	8,30	8,50	8,80	-	-	-
-	8,80	9,00	9,20	9,40	-	-	-

Tolerance (A) ± 0,50 (cm)
Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)
Tolerance (D) ± 0,70 (cm)

DESCRIPTION

Highly durable ESD cut-resistant knit with polyurethane fingertips dipping.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
4
4
X
C

score

2.000 – 8.000
10 - 20
> 75
not measured
10 - 15

unit

cycles
index
N
N
N

EN 16350:2014

Protective gloves - general requirements and test methods
for antistatic properties



SPECIAL FEATURES

- ESD cut resistant gloves
- durable knit (4C cut resistance)
- ARDON® design:
 - mandatory information on inner label
 - reflective manufacturer's logo
- compatible with touch screens
- also available without polyurethane = PROOF CUT 4C (do not leave fingerprints)
- also available with polyurethane palm dipping = BUCK CUT 4C



ARDON®
WORKWEAR
& **OUTDOOR**

Basic packaging (without sales label)

A5022/V1-06
A5022/V1-07
A5022/V1-08
A5022/V1-09

EAN

8592390181015
8592390181022
8592390181039
8592390181046

HEM COLOR

violet
yellow
green
orange

