

140
kg

①













②






③

● Sternal | ● Dorsal

HS CODE
63079098
CARTON SIZE / PCS.
60 X 40 X 24 cm / 12
AET (EU) N°2777/10362-05/E02-01
Satra Technology Europe Ltd., N° 2777, Bracetown Business Park, Clonee, Dublin, D15YN2P, Ireland
MODULE D FI14/14003.01
SGS Fimko Oy, N°0598 Takomotie 8, 00380 HELSINKI, Finland

REF.	FA 10 110 00
SIZES	TU
	MAX. 140 KG (PPE-R 11.132)
CE	EN 361:2002
Attachment	Dorsal (A), Sternal (A)
	2 / 3
MAT.  / 	
MAT.  45 mm	Aramid
 /  / 	0 / 0 / 0
+	ISO 9150:1988, ISO 15025:2002
	1.79 KG

		MAT.  / 
Taille Poids maxi utilisateur	Nombre de boucles de réglage / boucles automatiques	Matière des / boucles
Size Max. user weight	Number of adjustment buckles / automatic buckles	Material of rings / buckles
Tamaño Peso máximo del usuario	Cantidad de hebillas de ajuste / hebillas automáticas	Material de anillas en D / hebillas
Dimensione Peso massimo dell'utente	Numero di fibbie di regolazione / fibbie autobloccanti	Materia del D / Fibbie
Größe Höchstgewicht des Benutzers	Anzahl der Einstellschnallen / Schnellverschluss-Schnallen	Material D-Ringe/Schnallen

 /  / 
Nombre de dés porte-outils / poignées porte-matériel / triangles porte-accessoires Number of tool-holding D-rings/equipment-holding handles/accessory-holding triangles Cantidad de anillas en D portaherramientas / asas portamateriales / triángulos portaccesorios Numero di portautensili / maniglie portamateriale / triangoli portaccessori Anzahl der Werkzeug-D-Ringe / Werkzeug-Halteringe / Zubehör-Triangel



Sangle pouvant résister jusqu'à des températures maximales de 371°C
Strap that can withstand temperatures up to 371 °C
Correa que puede resistir temperaturas máximas de hasta 371 °C
Cinghie possono resistere alle temperature di massimo 371°C
Gurt hitzeresistent bis maximal 371°C



Sangle pouvant résister à des projections de métal en fusion
Strap that can withstand splashes of molten metal
Correa que puede resistir proyecciones de metal en fusión
Cinghie possono resistere alle proiezioni di metallo in fusione
Gurt beständig gegen Spritzer von Schmelzmetall