



ARDON®
WORKWEAR
& OUTDOOR

MEL

WELDING PROTECTION



EN 388: 2016



EN 407:2020

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

MEL

WELDING PROTECTION

CODE

A2007

MATERIAL

Palm

Back

Lining

Thickness

cowsplit leather (grey)

cowsplit leather (grey)

N/A

1,1 – 1,3 mm (in palm)

SIZE(S)

10 / XL

UNIT

pair

PACKING

Units in carton

60 pairs

Units in polybag

12 pairs

Retail packaging

also with sales label (-SPE)

DIMENSIONS

Carton H x W x D (cm)

Carton (cbm)

5

6

7

8

9

10

11

12

-

-

-

-

-

81x15x38

-

-

-

-

-

-

-

0,0462

-

-

WEIGHT

Carton (kg)

Unit (g)

5

6

7

8

9

10

11

12

-

-

-

-

-

15,35

-

-

-

-

-


-

-

255,0

-

-



Size chart (cm)

Total length (A)

Cuff length (B)

Cuff width (C)

Palm width (D)

5

6

7

8

9

10

11

12

-

-

-

-

-

35,0

-

-

-

-

-

-

-

15,0

-

-

-

-

-

-

-

13,0

-

-

-

-

-

-

-

13,5

-

-

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)

Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Full leather gloves made of cowsplit leather.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL	score	unit
3	2.000 – 8.000	cycles
1	1,2 – 2,5	index
3	50 – 75	N
3	100 - 150	N
X	not measured	N

EN 407:2020

Protective gloves against heat or flame



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
resistance to contact heat
resistance to convectional heat
resistance to radiant heat
resistance to small drops of molten metals
resistance to large drops of molten metals

LVL	score
4	
1	100°C for 15s
2	
X	not measured
4	
X	not measured

EN 12477:2005

Protective gloves for welders

TYP A

SPECIAL FEATURES

- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- fine, soft and pliable leather
- cuff length 15 cm
- heat protection up to 100 ° C



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A2007/10

EAN

8592390000125

Retail packaging (with sales label)

A2007/10-SPE

8592390083227