



ARDON®
WORKWEAR
& OUTDOOR

ARDON® ZKG9902V

FILTERING HALF MASK FFP3



TECHNICAL DATA SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® ZKG9902V

FILTERING HALF MASK FFP3

ARTIKLE NO. F7023

MATERIAL non-woven fabric, melt-blown fabric, hot-blown cotton, spunbond

SIZE UNI

DESCRIPTION

5-layer foldable filtering half masks FFP3 with exhalation valve with low breathing resistance and high filtration efficiency. Adjustable nose clip. This mask offers high level protection in various areas such as glass industry, foundry, construction, pharmaceutical industry, agriculture, metal and mining industry. Effectively protect the wearer from droplet aerosols, protein molecules, viruses, bacteria, fungi and spores, and even from highly dangerous dusts such as asbestos fibers.

Dimensions: 16,5 cm * 12 cm



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

This personal protective equipment is in conformity with these harmonized European Standards:

EN 149:2001+A1:2009: Respiratory protective devices. Filtering halfmasks to protect against particles.

Certified by Notified body no. 2834 (CCQS CERTIFICATION SERVICES LTD, Block 1 Blanchardstown Corporate Park, Ballycoolin Road, Blanchardstown, Dublin 15, D15AKK1, IRELAND), Certificate No.: CE-PC-200321-074-01-9B, issued on 27 of November 2020.

PIECES IN CARTON	500 pcs
PIECES IN A BOX	25 pcs
UNIT PACKAGING	1 pc
WEIGHT OF A CARTON	9,4 kg
SIZE OF A CARTON	0,1076 m ³

FFP3 face masks offer a high level of protection against hazardous mists, particulates and fumes. FFP3 masks protect against brake dust, cotton dust, granite dust, hay, lead dust and fume and softwood dust. FFP3 disposable masks are typically used for high level fine dust/oil or water based mists. hazardous pharmaceutical powders, biological agents and fibres. **DO NOT USE REPEATEDLY.** Do not wash and clean. Check integrity of the PPE before use. Do not use this PPE if it has some defects, symptoms of tearing or breaking. Do not repair workwear on your own. Avoid fire and intense heat sources. There are no designated accessories or spare parts for this PPE. When a garment is not being worn, it should be stored in dry and well ventilated places out of direct sunlight. Protect from moisture and extreme temperatures. After use, dispose of in an environmentally friendly manner.