



ARDON®
WORKWEAR
& OUTDOOR

ARDON® CREATRON LOW S3S ESD

SAFETY SHOES



DRY AIR



REFLECTIVE



WATER
 REPELLENT



ESD



ARDON®
WORKWEAR
& OUTDOOR

ARDON® CREATRON LOW S3S ESD

SAFETY SHOES

ARTICLE color	G3520 neon	G3521 green	G3522 blue
MATERIAL			
Upper	PES fabric, hydrofobic		
Lining	MESH laminated breathable fabric		
Sole	phylon/rubber, cemented technology		
Toe cap	glassfiber		
Plate	kevlar		
Insole	Anatomic HI POLY FOAM		

SIZE 36-48 (neon), 40-48 (green, blue)

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS	36-39	40-42	43-48
Carton H x W x D (cm)	61 x 32 x 38	63,5 x 34 x 40,5	64x 36,5 x 42
Carton (cbm)	0,0742	0,0874	0,0981

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	248	254	260	267	273	280	286	292	299	305	311	318	-	-	-
Foot length	-	23,6	24,3	24,9	25,5	26,2	26,8	27,5	28,1	28,7	29,4	30,0	30,6	31,3	-	-	-

DESCRIPTION

Safety half-boot with a quick-closing lacing system of a proven brand FITGO. A very stable and comfortable sole ensures safety in various types outdoor terrain. The upper of the shoe has an above-standard mechanical resistance stress.

NORMS

(EU) 2016/425

EN ISO 20345:2022+A1:2024 Personal protective equipment – Safety footwear

EN IEC 61340-5-1:2024 Electrostatics: Standard test methods for specific application – Footwear

Category S3S SR FO ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
The shoes do not contain metal parts		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3520/36	8592390376268	11.0	1.10
G3520/37	8592390376251	11.6	1.16
G3520/38	8592390376282	12.1	1.21
G3520/39	8592390026248	12.5	1.25
G3520/40	8592390026255	12.8	1.28
G3520/41	8592390026262	13.0	1.30
G3520/42	8592390026279	13.5	1.35
G3520/43	8592390026286	14.0	1.40
G3520/44	8592390026293	14.8	1.48
G3520/45	8592390415547	15.0	1.50
G3520/46	8592390415554	15.5	1.55
G3520/47	8592390415561	16.0	1.60
G3520/48	8592390415578	16.6	1.66
G3521/40	8592390415714	12.8	1.28
G3521/41	8592390415721	13.0	1.30
G3521/42	8592390415738	13.5	1.35
G3521/43	8592390415745	14.0	1.40
G3521/44	8592390415752	14.8	1.48
G3521/45	8592390415769	15.0	1.50
G3521/46	8592390415776	15.5	1.55
G3521/47	8592390418180	16.0	1.60
G3521/48	8592390418197	16.6	1.66
G3522/40	8592390415851	12.8	1.28
G3522/41	8592390415868	13.0	1.30
G3522/42	8592390415875	13.5	1.35
G3522/43	8592390415882	14.0	1.40
G3522/44	8592390415899	14.8	1.48
G3522/45	8592390415905	15.0	1.50
G3522/46	8592390415912	15.5	1.55
G3522/47	8592390418227	16.0	1.60
G3522/48	8592390418234	16.6	1.66



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

